







Lubrication—Free Tools



Available from airtoolservices.co.uk | 01772 557700

OIL-FREE





JIFFY MODULAR DRILL (JMD) **1.5 H.P. MOTOR - OFFSET HANDLE**

RPM	ORDER NUMBER	WEIGHT
250	23047	3.48 LB / 1.58 KG
 20466 TORQUE REACTION HANDLE INCLUDED		
500	23048	3.12 LB / 1.42 KG
 20466 TORQUE REACTION HANDLE INCLUDED		
2000	23049	2.47 LB / 1.12 KG
 17908 TORQUE REACTION HANDLE AVAILABLE		
3000	23050	2.20 LB / 1.0 KG
6000	23051	2.20 LB / 1.0 KG
 17908 TORQUE REACTION HANDLE AVAILABLE		

CONTACT SALES FOR REVERSE RUNNING VARIANTS

OIL-FREE





JIFFY MODULAR DRILL (JMD) **1.5 H.P. MOTOR - STRAIGHT HANDLE**

RPM	ORDER NUMBER	WEIGHT
250	23040	3.68LB / 1.67 KG
20466 TORQUE REACTION HANDLE INCLUDED 		
500	23041	3.32 LB / 1.50 KG
20466 TORQUE REACTION HANDLE INCLUDED 		
2000	23042	2.63 LB / 1.20 KG
17908 TORQUE REACTION HANDLE AVAILABLE 		
3000	23043	2.2 LB / 1.0 KG
6000	23044	2.2 LB / 1.0 KG
17908 TORQUE REACTION HANDLE AVAILABLE 		

CONTACT SALES FOR REVERSE RUNNING VARIANTS





OIL-FREE

JIFFY MODULAR DRILL (JMD) **.9 H.P. REVERSIBLE MOTOR - OFFSET HANDLE**

RPM	ORDER NUMBER	WEIGHT
250	23320	3.42 LB / 1.55 KG
		
500	23321	3.32 LB / 1.5 KG
		
1000	23322	2.6 LB / 1.2 KG
		
3000	23324	2.3 LB / 1.1 KG
5000	23325	2.3 LB / 1.1 KG
		






OIL-FREE

JIFFY MODULAR DRILL (JMD) .9 H.P. REVERSIBLE MOTOR - STRAIGHT HANDLE

RPM	ORDER NUMBER	WEIGHT
250	23312	3.45 LB / 1.56 KG
		
500	23313	3.23 LB / 1.46 KG
		
1000	23314	2.8 LB / 1.27 KG
		
3000	23316	2.5 LB / 1.13 KG
5000	23317	2.5 LB / 1.13 KG
		

OIL-FREE






JIFFY MODULAR DRILL (JMD) .85 H.P. MOTOR - OFFSET HANDLE

RPM	ORDER NUMBER	WEIGHT
250	22977	1.94 LB / .88 KG
		
500	22978	1.64 LB / .74 KG
		
1000	22979	1.47 LB / .67 KG
		
2000	22980	1.47 LB / .67 KG
		
3000	22981	1.35 LB / .61 KG
6000	22982	1.35 LB / .61 KG
		

CONTACT SALES FOR REVERSE RUNNING VARIANTS






OIL-FREE

JIFFY MODULAR DRILL (JMD) .85 H.P. MOTOR - STRAIGHT HANDLE

RPM	ORDER NUMBER	WEIGHT
250	22970	2.1 LB / .95 KG
		
500	22971	1.6 LB / .73 KG
		
1000	22972	1.5 LB / .68 KG
		
2000	22973	1.7 LB / .77 KG
		
3000	22974	1.3 LB / .59 KG
6000	22975	1.3 LB / .59 KG
		





OIL-FREE

1.5 H.P. OFFSET MOTOR FOR CHUCKS

RPM	ORDER NUMBER	WEIGHT												
250	23061	3.68 LB / 1.67 KG												
<table border="1"> <thead> <tr> <th colspan="3">CHUCKS</th> </tr> </thead> <tbody> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td> </tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td> </tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td> </tr> </tbody> </table> 20466 TORQUE REACTION HANDLE INCLUDED	CHUCKS			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890		
CHUCKS														
1/4"	6.35mm	17879												
3/8"	9.52mm	17876												
1/2"	12.7mm	17890												
500	23062	3.15 LB / 1.43 KG												
<table border="1"> <thead> <tr> <th colspan="3">CHUCKS</th> </tr> </thead> <tbody> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td> </tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td> </tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td> </tr> </tbody> </table> 20466 TORQUE REACTION HANDLE INCLUDED	CHUCKS			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890		
CHUCKS														
1/4"	6.35mm	17879												
3/8"	9.52mm	17876												
1/2"	12.7mm	17890												
2000	23063	2.85 LB / 1.30 KG												
<table border="1"> <thead> <tr> <th colspan="3">CHUCKS</th> </tr> </thead> <tbody> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td> </tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td> </tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td> </tr> </tbody> </table> 17908 TORQUE REACTION HANDLE AVAILABLE	CHUCKS			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890		
CHUCKS														
1/4"	6.35mm	17879												
3/8"	9.52mm	17876												
1/2"	12.7mm	17890												
10,000	23066	2.95 LB / 1.30 KG												
<table border="1"> <thead> <tr> <th colspan="3">CHUCKS</th> </tr> </thead> <tbody> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td> </tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td> </tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td> </tr> </tbody> </table> 17908 TORQUE REACTION HANDLE AVAILABLE	CHUCKS			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890		
CHUCKS														
1/4"	6.35mm	17879												
3/8"	9.52mm	17876												
1/2"	12.7mm	17890												
3000	23064	2.26 LB / 1.03 KG												
6000	23065	2.26 LB / 1.03 KG												
20,000	23067	2.26 LB / 1.03 KG												
<table border="1"> <thead> <tr> <th colspan="3">CHUCKS</th> </tr> </thead> <tbody> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td> </tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td> </tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td> </tr> </tbody> </table> 17908 TORQUE REACTION HANDLE AVAILABLE	CHUCKS			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890		
CHUCKS														
1/4"	6.35mm	17879												
3/8"	9.52mm	17876												
1/2"	12.7mm	17890												






OIL-FREE

.9 H.P. REVERSIBLE MOTOR OFFSET HANDLE - FOR CHUCKS

RPM	ORDER NUMBER	WEIGHT												
250	23336	3.2 LB/ 1.45 KG												
 <table> <tr><th colspan="3">CHUCKS</th></tr> <tr><td>1/4 "</td><td>6.35 MM</td><td>17879</td></tr> <tr><td>3/8 "</td><td>9.52 MM</td><td>17876</td></tr> <tr><td>1/2 "</td><td>12.7 MM</td><td>17890</td></tr> </table>			CHUCKS			1/4 "	6.35 MM	17879	3/8 "	9.52 MM	17876	1/2 "	12.7 MM	17890
CHUCKS														
1/4 "	6.35 MM	17879												
3/8 "	9.52 MM	17876												
1/2 "	12.7 MM	17890												
500	23337	2.9 LB/ 1.32 KG												
 <table> <tr><th colspan="3">CHUCKS</th></tr> <tr><td>1/4 "</td><td>6.35 MM</td><td>17879</td></tr> <tr><td>3/8 "</td><td>9.52 MM</td><td>17876</td></tr> <tr><td>1/2 "</td><td>12.7 MM</td><td>17890</td></tr> </table>			CHUCKS			1/4 "	6.35 MM	17879	3/8 "	9.52 MM	17876	1/2 "	12.7 MM	17890
CHUCKS														
1/4 "	6.35 MM	17879												
3/8 "	9.52 MM	17876												
1/2 "	12.7 MM	17890												
1000	23338	2.7 LB/ 1.22 KG												
 <table> <tr><th colspan="3">CHUCKS</th></tr> <tr><td>1/4 "</td><td>6.35 MM</td><td>17879</td></tr> <tr><td>3/8 "</td><td>9.52 MM</td><td>17876</td></tr> <tr><td>1/2 "</td><td>12.7 MM</td><td>17890</td></tr> </table>			CHUCKS			1/4 "	6.35 MM	17879	3/8 "	9.52 MM	17876	1/2 "	12.7 MM	17890
CHUCKS														
1/4 "	6.35 MM	17879												
3/8 "	9.52 MM	17876												
1/2 "	12.7 MM	17890												
3000	23340	2.4 LB/ 1.1 KG												
5000	23341	2.4 LB/ 1.1 KG												
 <table> <tr><th colspan="3">CHUCKS</th></tr> <tr><td>1/4 "</td><td>6.35 MM</td><td>17879</td></tr> <tr><td>3/8 "</td><td>9.52 MM</td><td>17876</td></tr> <tr><td>1/2 "</td><td>12.7 MM</td><td>17890</td></tr> </table>			CHUCKS			1/4 "	6.35 MM	17879	3/8 "	9.52 MM	17876	1/2 "	12.7 MM	17890
CHUCKS														
1/4 "	6.35 MM	17879												
3/8 "	9.52 MM	17876												
1/2 "	12.7 MM	17890												

OIL-FREE

.85 H.P. MOTOR OFFSET HANDLE - FOR CHUCKS


RPM	ORDER NUMBER	WEIGHT									
250	22992	1.94 LB / .88KG									
<table border="1"> <caption>CHUCKS</caption> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td></tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td></tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td></tr> </table> 			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890
1/4"	6.35mm	17879									
3/8"	9.52mm	17876									
1/2"	12.7mm	17890									
500	22994	1.75 LB / .79KG									
<table border="1"> <caption>CHUCKS</caption> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td></tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td></tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td></tr> </table> 			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890
1/4"	6.35mm	17879									
3/8"	9.52mm	17876									
1/2"	12.7mm	17890									
1000	22995	1.60 LB / .73KG									
<table border="1"> <caption>CHUCKS</caption> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td></tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td></tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td></tr> </table> 			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890
1/4"	6.35mm	17879									
3/8"	9.52mm	17876									
1/2"	12.7mm	17890									
2000	22996	1.60 LB / .73KG									
<table border="1"> <caption>CHUCKS</caption> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td></tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td></tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td></tr> </table> 			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890
1/4"	6.35mm	17879									
3/8"	9.52mm	17876									
1/2"	12.7mm	17890									
3000	22997	1.50 LB / .68KG									
6000	22998	1.50 LB / .68KG									
<table border="1"> <caption>CHUCKS</caption> <tr> <td>1/4"</td><td>6.35mm</td><td>17879</td></tr> <tr> <td>3/8"</td><td>9.52mm</td><td>17876</td></tr> <tr> <td>1/2"</td><td>12.7mm</td><td>17890</td></tr> </table> 			1/4"	6.35mm	17879	3/8"	9.52mm	17876	1/2"	12.7mm	17890
1/4"	6.35mm	17879									
3/8"	9.52mm	17876									
1/2"	12.7mm	17890									

OIL-FREE

JIFFY MODULAR INSTALL (JMI) **1.5 H.P. MOTOR - OFFSET HANDLE**


RPM	HEX DRIVE SIZE	ORDER NUMBER	WEIGHT
250	1 / 4"	23084	3.73 LB / 1.7 KG
250	3 / 8 "	23088	3.73 LB / 1.7 KG

20466 TORQUE REACTION
HANDLE INCLUDED



500	1 / 4"	23092	3.73 LB / 1.7 KG
500	3 / 8 "	23096	3.73 LB / 1.7 KG

20466 TORQUE REACTION
HANDLE INCLUDED




OIL-FREE

JIFFY MODULAR INSTALL (JMI) 1.5 H.P. MOTOR - STRAIGHT HANDLE

CE To conform to EC standards straight motors must be ordered with a safety lever.
Add -1 to motor order number to designate safety lever.


RPM	HEX DRIVE SIZE	ORDER NUMBER	WEIGHT
250	1 / 4 "	23082	3.73 LB / 1.7 KG
250	3 / 8 "	23086	3.73 LB / 1.7 KG

20466 TORQUE REACTION
HANDLE INCLUDED



500	1 / 4 "	23090	3.73 LB / 1.7 KG
500	3 / 8 "	23094	3.73 LB / 1.7 KG

20466 TORQUE REACTION
HANDLE INCLUDED



OIL-FREE

JIFFY MODULAR INSTALL (JMI) .9 H.P. REVERSIBLE MOTOR - OFFSET HANDLE


RPM	DRIVE	ORDER NUMBER	WEIGHT
250	1/4 HEX	23348	3.73 LB / 1.7 KG

OIL-FREE

JIFFY MODULAR INSTALL (JMI) .9 H.P. REVERSIBLE MOTOR - STRAIGHT HANDLE



CE To conform to EC standards straight motors must be ordered with a safety lever.
Add -1 to motor order number to designate safety lever.

RPM	DRIVE HEX	ORDER NUMBER	WEIGHT
250	1/4	23344	3.88 LB / 1.76 KG



OIL-FREE



JIFFY MODULAR INSTALL (JMI) .85 H.P. MOTOR - OFFSET HANDLE

RPM	ORDER NUMBER	WEIGHT
250	23016	2.25 LB / 1.1 KG
		
500	23017	2.15 LB / .97 KG
		

OIL-FREE



JIFFY MODULAR INSTALL (JMI) .85 H.P. MOTOR - STRAIGHT HANDLE

CE To conform to EC standards straight motors must be ordered with a safety lever.
Add -1 to motor order number to designate safety lever.

RPM	ORDER NUMBER	WEIGHT
250	23014	1.88 LB / .85 KG
		
500	23015	1.73 LB / .78 KG
		

CONTACT SALES FOR REVERSE RUNNING VARIANTS

JIFFY TORQUE REACTION SAFETY HANDLES



17908 TORQUE REACTION HANDLE SMALL	
MOTOR HP	RPM
1.5	2000
	3000
	6000
	10,000
	20,000
.90 REVERSIBLE	1000
	3000
	5000
.85	250
	500
	1000
	2000
	3000
	6000


20466 TORQUE REACTION HANDLE LARGE	
MOTOR HP	RPM
1.5	250
	500
.90	250
	500

SAFETY LEVER OPTIONS


ADD -1 TO THE MOTOR NUMBER TO ADD THE SAFETY LEVER OPTION

EX: 23040-1 FOR 250RPM, 1.5 H.P. OIL-FREE STRAIGHT JMD MOTOR WITH SAFETY LEVER

.85 HP MOTORS



.90 HP REVERSIBLE MOTORS



1.5 HP MOTORS

